



AVAILABLE CONFIGURED COMPONENTS

| HOUSINGS | PLUNGERS | RODS | "B" THREADS | "A" INSTALLED | BOOTS | CONNECTORS |
|-------------------|--------------------------|--------|----------------|---------------|-----------------------|------------|
| E05362 Side Mount | F09002 3/8-16 Int. thrd. | F08693 | 3/8-16 | 3.68" | F10229 Boot Kit, Flat | |
| E06494 Base Mount | | F08697 | 3/8-16 | 5.56" | | |
| | | F09005 | 3/8-16 | 3.15" | | |
| | | F09063 | 3/8-16 | 4.6" | | |
| | | F09230 | 3/8-16 | 3.03" | | |
| | | F09307 | 3/8-16 | 2.9" | | |
| | | F09426 | 3/8-16 | 4.5" | | |
| | | F09462 | 3/8-16 | 1.7" | | |
| | | F09467 | 3/8-16 | 3.5" | | |
| | | | | | | |
| | | | | | | |

AVAILABLE COILS WITH FORCE CHARACTERISTICS

| VOLTS D.C. | COILS | OHM RATING | DUTY CYCLE | WATTS | FORCE @ 2.5" | FORCE @ 1.5" | FORCE @ 1" | FORCE @ .50" | FORCE @ .25" |
|------------|--------|------------|------------|-------|--------------|--------------|------------|--------------|--------------|
| 12 v. | R05439 | .1 | 3.5% | 1440 | 48 lb. | 78 lb. | 80 lb. | 90 lb. | 110 lb. |
| | R05071 | .19/5.7 | 6% | 783 | 27 lb. | 53 lb. | 58 lb. | 68 lb. | 92 lb. |
| | R05537 | .4/23.4 | 14% | 366 | 15 lb. | 36 lb. | 40 lb. | 50 lb. | 72 lb. |
| | R05270 | 1.2 | 41% | 120 | 4.8 lb. | 15 lb. | 20 lb. | 29 lb. | 49 lb. |
| 24 v. | R05071 | .19/5.7 | 1.5% | 3133 | 95 lb. | 110 lb. | 115 lb. | 130 lb. | 150 lb. |
| | R05537 | .4/23.4 | 3.5% | 1465 | 55 lb. | 81 lb. | 85 lb. | 95 lb. | 125 lb. |
| | R05073 | .78/23.4 | 6.5% | 763 | 26 lb. | 55 lb. | 58 lb. | 70 lb. | 90 lb. |
| | R05270 | 1.2 | 10% | 480 | 19 lb. | 45 lb. | 48 lb. | 60 lb. | 80 lb. |
| | R05165 | 13.6 | 100% | 48 | 1.8 lb. | 4 lb. | 7.5 lb. | 15 lb. | 28 lb. |
| 108 v. | R05349 | 7.65 | 3.2% | 1525 | 60 lb. | 88 lb. | 90 lb. | 100 lb. | 120 lb. |
| | R05165 | 13.6 | 5% | 972 | 36 lb. | 65 lb. | 69 lb. | 80 lb. | 100 lb. |
| | R05636 | 315 | 100% | 37 | 1.5 lb. | 3 lb. | 6 lb. | 10 lb. | 22 lb. |
| 216 v. | R05349 | 7.65 | 1% | 6099 | 107 lb. | 180 lb. | 180 lb. | 180 lb. | 190 lb. |
| | R05165 | 13.6 | 1.5% | 3888 | 103 lb. | 145 lb. | 150 lb. | 155 lb. | 170 lb. |
| | R05636 | 315 | 33% | 148 | 5.5 lb. | 16 lb. | 21 lb. | 31 lb. | 50 lb. |